



2020

LANDSCAPE LIGHTING

12V & 120V-277V

KICHLER®





Bringing Your Vision to Life

At Kichler Lighting, we are committed to continually offering you one of the most comprehensive professional landscape lighting lines in the industry. One built on innovation, flexibility, and superior performance. Our landscape lighting offers a variety of options, giving you the freedom to create a one-of-a-kind look.

Table of Contents

12V LIGHTING



120V-277V LIGHTING



Choosing the Right LED & Lighting Tips 06

Lighting Techniques 08

Outdoor Living 12

12V Integrated LED

17 Accent

18 In-Ground

19 Path & Spread

23 Deck & Patio

24 Portable Lanterns

25 Hardscapes

26 Low-Voltage Transformers

12V Drop-In

29 Accent

33 In-Ground

35 Path & Spread

41 Deck & Patio

12V Accessories 45

12V LED Lamps 50

120V Integrated LED

55 Accent

57 In-Ground

57 Outdoor Wall Lights

120V Drop-In

59 Accent

60 Path & Spread

61 Outdoor Wall Lights

120V Accessories

63

120V LED Lamps

64

Finish Swatches

65

Outdoor Living Products

67

Symbol Guide

69

Index

70

Choosing the Right LED Accent Light

	12V Accent Light Solutions		
Your Situation and Needs	Looking for an affordable option that will meet your needs today. Not sure how long you will stay in your present house.	In search of the most reliable product – one that will last a long time and produce the best quality light. Details relating to the light quality and the lighting design are important to you.	In pursuit of the product that is the best investment and will last the longest. You want the very best lighting design, as well as fixtures that will adapt as your landscape changes.
Overview	A solid, economical choice with Kichler®'s quality designs, materials and finishes. May require bulb replacement after a few years.	A highly engineered solution requiring no bulb changing, entirely sealed from the elements. Optimal light quality will produce a beautiful lighting design.	Our premium product , no bulb changing, entirely sealed, optimal light quality, with a built-in feature for adjusting lumen levels. Enables flexibility and fine-tuning of the lighting design. Our longest-lasting product.
	12V Drop-In Accent with LED Lamp	12V Integrated LED Accent	12V Integrated LED Accent with VLO
			
SEALED	Not sealed from the elements	Employs advanced engineering, sealing the fixture from all elements	Employs advanced engineering, sealing the fixture from all elements
HEAT MANAGEMENT	Minimal heat management	Advanced thermal management, keeping heat away from the LED and resulting in longer life	Advanced thermal management, keeping heat away from the LED and resulting in longer life
LIGHT QUALITY	May produce halos or scallops	Optimal, uniform light from center to edge	Optimal, uniform light from center to edge
BULB REPLACEMENT	Bulb replacement may be required after a few years	No bulb replacement required	No bulb replacement required
LUMEN DEPRECIATION	Loses brightness with time	No noticeable loss of brightness during the warranty period	No noticeable loss of brightness during the warranty period
SURGE PROTECTION	None	4kV system protection	6kV system protection
BEAM SPREAD ADJUSTMENT	None	None	Expand beam spread with a special lens accessory; aids in fine-tuning design
LUMEN ADJUSTMENT	None	None	Adjust lumens to three levels with the touch of a magnet; aids in fine-tuning the lighting design or adjusting to plant and tree growth
LED COLOR SHIFT	Possible over time	None	None
WARRANTY	Limited*	10 years	15 years

This chart compares three tiers of Kichler accent lights.

*The LED bulbs are warranted for 6 years; the drop-in fixtures are warranted for 5 years (aluminum) or 10 years (brass).

Visit Kichler.com/Warranty for full warranties and limitations.



Lighting Design Tips

The Color of Your Light Sets the Tone

Did you know that not all white light is created equal? Many of our integrated LED fixtures and LED lamps come in a variety of color temperatures – from warm white to pure white to bright white – that can enhance the colors in your home’s exterior and landscape. Known as Kelvin (K) temperature, consider these suggestions for placement:



WARM WHITE - 2700K

- Ideal for surroundings with warmer colors, like brown and cedar
- Natural colored walls or stonework
- Foliage that is red, orange or yellow (ex: highlighting oak trees)



PURE WHITE - 3000K

- Ideal for surroundings with dark materials, like deep slate, black or gray
- Foliage that is blue or purple (ex: highlighting blue spruce trees)



COOL WHITE - 4000K

- Complements contemporary homes and structures
- Commercial applications
- 120V-277V only




BRIGHT WHITE - 5000K

- Works well for illuminating evergreen trees and shrubs
- Commercial applications
- 120V-277V only

Beam Spreads


Our integrated LED fixtures are available in a variety of beam spreads so you can tailor the light to where it's needed the most.




Tall, thin beam of light ideal for grazing trees and column features.



Medium height and width beam of light suited for general accent lighting.



Short and wide beam of light useful for broad trees and wide structures.



Ideal for wall washing, grazing, and short yet wide, objects.



Landscape Lighting Techniques

Get the most out of a project with these professional landscape lighting techniques.



WALL-WASHING

Delivers a subtle, low amount of light to a wide area, up close to the structure, with minimal hot-spots and density.

Recommended fixtures: 12V LED Accent with VLO 16017 & 16020. Also 120V-277V C-Series 16210-16211, 16213-16214, 16218-16225.



CROSS LIGHTING

Using two or three beams of light, it creates 360-degree visual interest on large trees, statues or other tall features.

Recommended fixtures: 12V LED Accent with VLO 16015-16016, 16018-16019. Also 120V-277V C-Series 16209-16210, 16212-16213, 16215-16216, 16218-16219.



ACCENT LIGHTING

Shines light upward to illuminate an object or surface for dramatic, attention-getting visuals.

Recommended fixtures: 12V LED Accent with VLO 16015-16020. Also 120V-277V C-Series 16209-16220.



GRAZING

Adds depth and dimension to stucco, brick, stonework or architectural features of a home or building.

Recommended fixtures: 12V LED Accent with VLO 16017 & 16020. Also 120V-277V C-Series 16210-16211, 16213-16214, 16218-16225.



SILHOUETTE LIGHTING

Draw attention to an interesting shape by lighting a vertical surface behind the object to accent that unique shape.


Recommended fixtures: 12V LED Accent with VLO 16015-16020. Also 120V-277V C-Series 16209-16220.



SHADOWING

A technique that projects the look of a tree or yard art onto a surface behind the object.


Recommended fixtures: 12V LED Accent with VLO 16015-16020. Also 120V-277V C-Series 16209-16220.



MIRROR LIGHTING

Create dream-like water scenes by strategically lighting background areas around bodies of water that reflect the landscape off of the water.

Recommended fixtures: 12V LED Accent with VLO 16015-16020. Also 120V-277V C-Series 16209-16220.



MOON LIGHTING

Placing a lower lumen fixture high in a tree catches the details of branches and leaves, emulating the look of moonlight.

Recommended fixtures: 12V LED Accent with VLO 16016-16017, 16019-16020. Also 120V-277V C-Series 16210-16211, 16213-16214, 16218-16225.



UNDERWATER & WATER ACCENT

Enhance and highlight flowing water in waterfalls, streams and fountains. Create a magical mirroring effect on still waters.

Recommended fixture: 12V LED Water Accent 15711SS.



IN-GROUND LIGHTING

Deliver light to permanent and semi-permanent installations such as sidewalks, large mature trees, walls and flagpoles.

Recommended fixtures: 12V LED Mini In-Ground 16140-16141. Also 120V-277V C-Series 16227-16228.



XERISCAPE LIGHTING

Cacti, grasses and the stone used in xeriscape designs can benefit from a lower lumen illumination than traditional landscaping.

Recommended fixtures: 2700K fixtures; 12V LED Path 15811, 15821, 12V LED Accent with VLO 16015-16017.



PATH & SPREAD LIGHTING

Illuminate sidewalks, stone pathways and lawn walkways while adding a hint of intrigue to boulders and plant beds. Spread lighting uses a path light inside a landscape bed to illuminate the plantings.


Recommended fixtures: 12V LED Path Fundamentals 16120, Stepped Dome 15820 or Dome 15810.



DECK & PATIO LIGHTING

Accentuate all of the beauty and details of decks, patios, outdoor kitchens, steps, handrails and more.


Recommended fixtures: 12V LED Half Moon 15764 (top) and 12V LED Brick Light 15773 (bottom).



HARDSCAPE LIGHTING

Highlight stone features, retaining walls, outdoor kitchens, steps, handrails, benches and more.

Recommended fixture: 12V 6" LED 16101.





6

2

4

5

1



Arrange pendant fixtures in clusters - for a stylish statement and ambient light.

Argyle
Outdoor Pendant
(49747WZC)

2



Outdoor ceiling fans bring light and added temperature control to sitting areas.

Rana™ LED Ceiling Fan
60"
(310155NI)

3



The right hardscape lighting helps guide guests at night. Choose small ...


LED Hardscape Lighting
6" 2700K
(16101AZT27)



Bring it all together.

With the right combination of exterior lighting, you can bring outdoor spaces to life. Achieve this look by incorporating integrated LED landscape lighting with Kichler® decorative options designed for outdoor use. Homeowners get a beautiful and functional space they can use 24/7 – you get a project you can add to your portfolio.

4



... or large fixtures to match the space.

LED Hardscape Lighting
18" 2700K
(16103GRY27)

5



A built-in Bluetooth® speaker allows homeowners to wirelessly add music to gatherings.

Lyndon™ LED
Portable Lantern
(49500BKTLED)

6



Select Kichler integrated fixtures allow you to adjust the light output easily, for long-term flexibility.

LED Accent Light
with VLO
(16016 AZT27)



12V LANDSCAPE LIGHTING



12V
INTEGRATED
LED





Name	VLO LED Small Accent		VLO LED Large Accent	
SKU & Finish	16015AZT27 - 15° 16015BKT27 - 15° 16015CBR27 - 15° 16016AZT27 - 35° 16016BKT27 - 35° 16016CBR27 - 35° 16016WHT27 - 35° 16017AZT27 - 60° 16017BKT27 - 60° 16017CBR27 - 60°	16015AZT30 - 15° 16015BKT30 - 15° 16015CBR30 - 15° 16016AZT30 - 35° 16016BKT30 - 35° 16016CBR30 - 35° 16016WHT30 - 35° 16017AZT30 - 60° 16017BKT30 - 60° 16017CBR30 - 60°	16018AZT27 - 15° 16018BKT27 - 15° 16018CBR27 - 15° 16019AZT27 - 35° 16019BKT27 - 35° 16019CBR27 - 35° 16019WHT27 - 35° 16020AZT27 - 60° 16020BKT27 - 60° 16020CBR27 - 60°	16018AZT30 - 15° 16018BKT30 - 15° 16018CBR30 - 15° 16019AZT30 - 35° 16019BKT30 - 35° 16019CBR30 - 35° 16019WHT30 - 35° 16020AZT30 - 60° 16020BKT30 - 60° 16020CBR30 - 60°
Watt/VA	Level 1 = 2W/3.5VA, 100 lm, 50 lm/W Level 2* = 3.5W/5.5VA, 200 lm, 57 lm/W Level 3 = 5.5W/7.5VA, 300 lm, 55 lm/W		Level 1* = 5.25W/8.5VA, 400 lm, 76 lm/W Level 2 = 8.5W/12.5VA, 600 lm, 70 lm/W Level 3 = 12W/17VA, 835 lm, 69 lm/W	
Kelvin & Lumens	2700K - Warm White 300 lm, 55 lm/W	3000K - Pure White 300 lm, 55 lm/W	2700K - Warm White 835 lm, 69 lm/W	3000K - Pure White 835 lm, 69 lm/W

*Factory setting

*Factory setting



Name	VLO LED Flood Light		LED Wall Wash		Conical LED Wall Wash	
SKU & Finish	16022AZT27 16022BKT27	16022AZT30 16022BKT30	16070AZT27 16070BKT27 16070CBR27	16070AZT30 16070BKT30 16070CBR30	15861AZT27R 15861BKT27R	15861AZT30R 15861BKT30R
Watt/VA	Level 1* = 7W / 11VA, 500 lm, 71 lm/W Level 2 = 9W / 14VA, 675 lm, 75 lm/W Level 3 = 12W / 18VA, 865lm, 72 lm/W		4.3W/5.8VA		4.3W/5.8VA	
Kelvin & Lumens	2700K - Warm White 865 lm, 72 lm/W	3000K - Pure White 865 lm, 72 lm/W	2700K - Warm White 294 lm, 68 lm/W	3000K - Pure White 302 lm, 70 lm/W	2700K - Warm White 294 lm, 68 lm/W	3000K - Pure White 302 lm, 70 lm/W

*Factory setting. Beam spread vertical of 88°, horizontal of 126°

Beam spread vertical of 80°, horizontal of 100°.

Beam spread vertical of 108°, horizontal of 111°.




Name	200 Lumen LED Accent		300 Lumen LED Accent		500 Lumen LED Accent	
SKU & Finish	16150AZT27 - 10° 16150BKT27 - 10° 16150CBR27 - 10° 16151AZT27 - 35° 16151BKT27 - 35° 16151CBR27 - 35° 16152AZT27 - 60° 16152BKT27 - 60° 16152CBR27 - 60°	16150AZT30 - 10° 16150BKT30 - 10° 16150CBR30 - 10° 16151AZT30 - 35° 16151BKT30 - 35° 16151CBR30 - 35° 16152AZT30 - 60° 16152BKT30 - 60° 16152CBR30 - 60°	16153AZT27 - 10° 16153BKT27 - 10° 16153CBR27 - 10° 16154AZT27 - 35° 16154BKT27 - 35° 16154CBR27 - 35° 16155AZT27 - 60° 16155BKT27 - 60° 16155CBR27 - 60°	16153AZT30 - 10° 16153BKT30 - 10° 16153CBR30 - 10° 16154AZT30 - 35° 16154BKT30 - 35° 16154CBR30 - 35° 16155AZT30 - 60° 16155BKT30 - 60° 16155CBR30 - 60°	16156AZT27 - 10° 16156BKT27 - 10° 16156CBR27 - 10° 16157AZT27 - 35° 16157BKT27 - 35° 16157CBR27 - 35° 16158AZT27 - 60° 16158BKT27 - 60° 16158CBR27 - 60°	16156AZT30 - 10° 16156BKT30 - 10° 16156CBR30 - 10° 16157AZT30 - 35° 16157BKT30 - 35° 16157CBR30 - 35° 16158AZT30 - 60° 16158BKT30 - 60° 16158CBR30 - 60°
Watt/VA	2.5W/3.5VA		3.5W/5.25VA		7W/10VA	
Kelvin & Lumens	2700K - Warm White 200 lm, 80 lm/W	3000K - Pure White 200 lm, 80 lm/W	2700K - Warm White 300 lm, 86 lm/W	3000K - Pure White 300 lm, 86 lm/W	2700K - Warm White 500 lm, 71 lm/W	3000K - Pure White 500 lm, 71 lm/W

Accent & In-Ground



Name		2-in-1 LED Water Accent			2-in-1 LED Water Accent Accessories	
SKU & Finish	15711SS27	15711SS	15711SS42		15777SS Out of Water Bracket 15776BK Multi-Fixture Weighted Base 15778BK Single Fixture Weighted Base	
Watt/VA	3.4W/4.9VA					
Kelvin & Lumens	2700K - Warm White 136 lm, 40 lm/W	3000K - Pure White 150 lm, 44 lm/W	4200K - Cool White 180 lm, 53 lm/W		For use with 15711SS27, 15711SS, 15711SS42	



Name		100 Lumen LED Mini All-Purpose Recessed Light		200 Lumen LED Mini All-Purpose Recessed Light		LED Mini All-Purpose Cowl		LED Mini All-Purpose Side Fire Sconce	
SKU & Finish	16140CBR27 16140SS27	16140CBR30 16140SS30	16141CBR27 16141SS27	16141CBR30 16141SS30	16142CBR 16142SS		16143CBR 16143SS		
Watt/VA	2W/3.5VA				3.5W/5.5VA		For use with Mini All Purpose In-Ground 16140, 16141		For use with Mini All Purpose In-Ground 16140, 16141
Kelvin & Lumens	2700K - Warm White 100 lm, 50 lm/W	3000K - Pure White 100 lm, 50 lm/W	2700K - Warm White 200 lm, 57 lm/W	3000K - Pure White 200 lm, 57 lm/W					



Name		LED Mini All-Purpose Single Opening		LED Mini All-Purpose 2-Way Opening		LED Mini All-Purpose 4-Way Opening		LED Mini All-Purpose Louver	
SKU & Finish	16148CBR 16148SS		16144CBR 16144SS		16145CBR 16145SS		16146CBR 16146SS		
Notes	For use with Mini All Purpose In-Ground 16140, 16141		For use with Mini All Purpose In-Ground 16140, 16141		For use with Mini All Purpose In-Ground 16140, 16141		For use with Mini All Purpose In-Ground 16140, 16141		



Name		LED Mini All-Purpose Honeycomb		LED Mini All-Purpose Square Trim		LED Mini All-Purpose Frosted Lens		LED Mini All-Purpose Blunt Cut Ground Stake	
SKU & Finish	16149CBR 16149SS		16147CBR 16147SS		16180FRO		16182BK		
Notes	For use with Mini All Purpose In-Ground 16140, 16141		For use with Mini All Purpose In-Ground 16140, 16141		For use with Mini All Purpose In-Ground 16140, 16141		For use with Mini All Purpose In-Ground 16140, 16141		

In-Ground Accessories

12V

INTEGRATED LED



Name	Uni-Sleeve Well Light Gimbal Kit	Uni-Sleeve Brass Trim	Uni-Sleeve Brass Rock Guard	Uni-Sleeve Rock Guard
SKU & Finish	16190BK	16191CBR	16192CBR	15787BK
Notes	Turn any 1/2" knuckled accent fixture into a recessed well light.	For use with 16190BK	For use with 16190BK	For use with 16190BK

Path & Spread



Name	Decorative Hammered Roof LED		Cast Hammered Roof LED		Fundamentals™ LED	
SKU & Finish	15843TZT27	15843TZT	15871CBR27 15871TZT27	15871CBR30 15871TZT	15839CO27R 15839TZT27R	15839CO30R 15839TZT30R
Watt/VA	2W/3VA		2W/3VA		3W/4.5VA	
Kelvin & Lumens	2700K - Warm White 160 lm, 80 lm/W	3000K - Pure White 160 lm, 80 lm/W	2700K - Warm White 160 lm, 80 lm/W	3000K - Pure White 160 lm, 80 lm/W	2700K - Warm White 250 lm, 83 lm/W	3000K - Pure White 250 lm, 83 lm/W



Name	Fundamentals™ LED		Copper Hat LED		Forged LED	
SKU & Finish	16120AZT27 16120BKT27 16120CBR27	16120AZT30 16120BKT30 16120CBR30	15850CO27R	15850CO30R	15803AZT27R	15803AZT30R
Watt/VA	3W/4.5VA		3W/4.5VA		2W/3VA	
Kelvin & Lumens	2700K - Warm White 250 lm, 83 lm/W	3000K - Pure White 250 lm, 83 lm/W	2700K - Warm White 250 lm, 83 lm/W	3000K - Pure White 250 lm, 83 lm/W	2700K - Warm White 160 lm, 80 lm/W	3000K - Pure White 160 lm, 80 lm/W

Path & Spread



Name	Pyramid LED		Ripley™ LED		Shallow Shade Small LED	
SKU & Finish	15802TZT27R	15802TZT30R	15800AZT27R 15800CBR27	15800AZT30R 15800CBR30	15805BKT27R	15805BKT30R
Watt/VA	2W/3VA		4.3W/5.8VA		4W/5.8VA	
Kelvin & Lumens	2700K - Warm White 160 lm, 80 lm/W	3000K - Pure White 160 lm, 80 lm/W	2700K - Warm White 294 lm, 68 lm/W	3000K - Pure White 302 lm, 70 lm/W	2700K - Warm White 126 lm, 32 lm/W	3000K - Pure White 140 lm, 35 lm/W



Name	Shallow Shade Large LED		Broad Roof LED		Conical Side Mount LED	
SKU & Finish	15806BKT27R	15806BKT30R	15833AZT27R	15833AZT30R	15815AZT27R 15815BKT27R	15815AZT30R 15815BKT30R
Watt/VA	4W/5.8VA		4W/5.8VA		4.3W/5.8VA	
Kelvin & Lumens	2700K - Warm White 126 lm, 32 lm/W	3000K - Pure White 140 lm, 35 lm/W	2700K - Warm White 126 lm, 32 lm/W	3000K - Pure White 140 lm, 35 lm/W	2700K - Warm White 294 lm, 68 lm/W	3000K - Pure White 302 lm, 70 lm/W



Name	Conical Side Mount Cast Brass LED		Conical Center Mount LED		6" Dome LED	
SKU & Finish	15827CBR27	15827CBR30	15826AZT27R 15826BKT27R	15826AZT30R 15826BKT30R	15870AZT27R 15870BKT27R 15870CBR27	15870AZT30R 15870BKT30R 15870CBR30
Watt/VA	4.3W/5.8VA		3W/4.5VA		3W/4.5VA	
Kelvin & Lumens	2700K - Warm White 294 lm, 68 lm/W	3000K - Pure White 302 lm, 70 lm/W	2700K - Warm White 250 lm, 83 lm/W	3000K - Pure White 250 lm, 83 lm/W	2700K - Warm White 250 lm, 83 lm/W	3000K - Pure White 250 lm, 83 lm/W



Name	8" Dome LED		8" Dome Short LED		Traditional Dome LED	
SKU & Finish	15810AZT27R 15810BKT27R 15810CBR27	15810AZT30R 15810BKT30R 15810CBR30	15811AZT27R	15811AZT30R	15878CBR27	15878CBR30
Watt/VA	3W/4.5VA		3W/4.5VA		3W/4.5VA	
Kelvin & Lumens	2700K - Warm White 250 lm, 83 lm/W	3000K - Pure White 250 lm, 83 lm/W	2700K - Warm White 250 lm, 83 lm/W	3000K - Pure White 250 lm, 83 lm/W	2700K - Warm White 250 lm, 83 lm/W	3000K - Pure White 250 lm, 83 lm/W



Name	Stepped Dome LED		Stepped Dome Short LED		Tiered Dome LED	
SKU & Finish	15820AZT27R 15820CBR27 15820CO27	15820AZT 15820CBR30 15820CO	15821AZT27 15821CBR27 15821CO27	15821AZT 15821CBR30 15821CO	15880CBR27	15880CBR30
Watt/VA	2W/3VA		2W/3VA		3W/4.5VA	
Kelvin & Lumens	2700K - Warm White 160 lm, 80 lm/W	3000K - Pure White 160 lm, 80 lm/W	2700K - Warm White 160 lm, 80 lm/W	3000K - Pure White 160 lm, 80 lm/W	2700K - Warm White 250 lm, 83 lm/W	3000K - Pure White 250 lm, 83 lm/W



Name	Tiki LED		Four Corners LED		Overlay LED	
SKU & Finish	15801TZT27R	15801TZT30R	16121AZT27 16121BKT27	16121AZT30 16121BKT30	16122AZT27	16122AZT30
Watt/VA	2W/3VA		3W/4.5VA		2W/3VA	
Kelvin & Lumens	2700K - Warm White 160 lm, 80 lm/W	3000K - Pure White 160 lm, 80 lm/W	2700K - Warm White 250 lm, 83 lm/W	3000K - Pure White 250 lm, 83 lm/W	2700K - Warm White 160 lm, 80 lm/W	3000K - Pure White 160 lm, 80 lm/W

Path & Spread



Name	Round Tiered LED		Flare LED		Pierced Dome LED	
SKU & Finish	16124AGZ27 16124BKT27 16124CW27	16124AGZ30 16124BKT30 16124CW30	16125AZT27	16125AZT30	15857AZT27R	15857AZT30R
Watt/VA	2W/3VA		3W/4.5VA		2W/3VA	
Kelvin & Lumens	2700K - Warm White 160 lm, 80 lm/W	3000K - Pure White 160 lm, 80 lm/W	2700K - Warm White 250 lm, 83 lm/W	3000K - Pure White 250 lm, 83 lm/W	2700K - Warm White 160 lm, 80 lm/W	3000K - Pure White 160 lm, 80 lm/W



Name	Shepherd's Crook LED		Louvered LED Bollard		T-Style LED Bollard	
SKU & Finish	15807AZT27R	15807AZT30R	16130AZT28	16130BKT28	16131AZT28	16131BKT28
Watt/VA	4.3W/5.8VA		3.5W/5.67VA		3.5W/5.67VA	
Kelvin & Lumens	2700K - Warm White 294 lm, 68 lm/W	3000K - Pure White 302 lm, 70 lm/W	2800K - Warm White 224 lm, 64 lm/W		2800K - Warm White 224 lm, 64 lm/W	



Name	Side Throw LED Bollard		Mission LED Bollard	
SKU & Finish	16132AZT28	16132BKT28	16133AZT28	16133BKT28
Watt/VA	3.5W/5.67VA		3.5W/5.67VA	
Kelvin & Lumens	2800K - Warm White 224 lm, 64 lm/W		2800K - Warm White 224 lm, 64 lm/W	



Name	Decorative Hammered Roof LED		Conical LED Mini		Half Moon LED	
SKU & Finish	15763TZT27R	15763TZT30R	15765AZT27R 15765BKT27R 15765CBR27 15765WHT27R	15765AZT30R 15765BKT30R 15765CBR30 15765WHT30R	15764AZT27R 15764CBR27 15764WHT27R	15764AZT30R 15764CBR30 15764WHT30R
Watt/VA	0.86W/1.86VA		0.86W/1.86VA		0.86W/1.86VA	
Kelvin & Lumens	2700K - Warm White 41 lm, 48 lm/W	3000K - Pure White 43 lm, 50 lm/W	2700K - Warm White 41 lm, 48 lm/W	3000K - Pure White 43 lm, 50 lm/W	2700K - Warm White 41 lm, 48 lm/W	3000K - Pure White 43 lm, 50 lm/W



Name	Fundamentals™ LED		Four Corners LED		LED Louvered Brick Light	
SKU & Finish	16110AZT27 16110BKT27 16110CO27	16110AZT30 16110BKT30 16110CO30	16111AZT27 16111BKT27	16111AZT30 16111BKT30	15773AZT27R	15773AZT30R
Watt/VA	0.86W/1.86VA		0.86W/1.86VA		1.72W/3.72VA	
Kelvin & Lumens	2700K - Warm White 41 lm, 48 lm/W	3000K - Pure White 43 lm, 50 lm/W	2700K - Warm White 41 lm, 48 lm/W	3000K - Pure White 43 lm, 50 lm/W	2700K - Warm White 82 lm, 48 lm/W	3000K - Pure White 86 lm, 50 lm/W



Name	LED Brick Light		LED Louvered Mini Step Light		LED Mini Step Light	
SKU & Finish	15774AZT27R	15774AZT30R	15782AZT27R 15782BKT27R 15782CBR27 15782WHT27R	15782AZT30R 15782BKT30R 15782CBR30 15782WHT30R	15780AZT27R	15780AZT30R
Watt/VA	1.72W/3.72VA		0.86W/1.86VA		0.86W/1.86VA	
Kelvin & Lumens	2700K - Warm White 82 lm, 48 lm/W	3000K - Pure White 86 lm, 50 lm/W	2700K - Warm White 41 lm, 48 lm/W	3000K - Pure White 43 lm, 50 lm/W	2700K - Warm White 41 lm, 48 lm/W	3000K - Pure White 43 lm, 50 lm/W

Portable Lanterns



Name	Montego LED	Davis LED	Berryhill™ LED
SKU & Finish	49679WHRLED	49247BWFLED	49239BKTLED
Watt/VA	7W	7W	7W
Kelvin & Lumens	3000K - Pure White 250 lm, 35 lm/W	3000K - Pure White 250 lm, 35 lm/W	3000K - Pure White 250 lm, 35 lm/W




Name	South Hope™ LED	Lyndon™ LED
SKU & Finish	49473RZLED	49500BKTLED
Watt/VA	7W	7W
Kelvin & Lumens	3000K - Pure White 250 lm, 35 lm/W	3000K - Pure White 250 lm, 35 lm/W



Hardscape Lights

12V

INTEGRATED LED



Name	3.5" LED		6" LED	
SKU & Finish	16100AZT27 16100BKT27 16100CBR27 16100GRY27 16100SD27	16100AZT30 16100BKT30 16100CBR30 16100GRY30 16100SD30	16101AZT27 16101BKT27 16101CBR27 16101GRY27 16101SD27	16101AZT30 16101BKT30 16101CBR30 16101GRY30 16101SD30
Watt/VA	0.3W/0.6VA		0.9W/1.5VA	
Kelvin & Lumens	2700K - Warm White 10 lm, 33 lm/W	3000K - Pure White 10 lm, 33 lm/W	2700K - Warm White 40 lm, 45 lm/W	3000K - Pure White 40 lm, 45 lm/W



Name	12" LED		18" LED	
SKU & Finish	16102AZT27 16102BKT27 16102CBR27 16102GRY27 16102SD27	16102AZT30 16102BKT30 16102CBR30 16102GRY30 16102SD30	16103AZT27 16103BKT27 16103CBR27 16103GRY27 16103SD27	16103AZT30 16103BKT30 16103CBR30 16103GRY30 16103SD30
Watt/VA	1.9W/2.9VA		2.7W/3.8VA	
Kelvin & Lumens	2700K - Warm White 85 lm, 45 lm/W	3000K - Pure White 85 lm, 45 lm/W	2700K - Warm White 125 lm, 46 lm/W	3000K - Pure White 125 lm, 46 lm/W



Low-Voltage Transformers & Accessories



Name	Pro Series		Pro Series	Pro Series 2-in-1
SKU & Finish	15PR100SS 15PR200SS 15PR300SS	15PR600SS 15PR900SS 15PR1200SS	15PR75SS	15PRD600SS
Wattage	100W - 1200W		75W	600W
Notes	Output voltage taps 12/13/14/15 Volts		Output voltage tap is 15 Volt only	Output voltage taps 12/13/14/15 Volts



Name	Contractor Series	Contractor Series		Plus Series	
SKU & Finish	15CS75SS	15CS150SS 15CS300SS 15CS600SS	15CS900SS 15CS1200SS	15PL100AZT 15PL200AZT 15PL300AZT	15PL600AZT 15PL900AZT
Wattage	75W	150W - 1200W		100W - 900W	
Notes	Output voltage taps 12/15/ Volts	Output voltage taps 12/13/14/15 Volts		Output voltage taps 12/13/14/15 Volts	



Name	Plus Series	Manual Series	Economy Series
SKU & Finish	15PL75AZT	15M100AZT 15M200AZT 15M300AZT	15E60BK 15E120BK
Watt/VA	75W	100W - 300W	60W, 120W
Kelvin & Lumens	Output voltage tap is 15 Volt only	Output voltage taps 12 Volts for 100W-200W. 12/13/15 Volts for 300W.	Output voltage tap is 12.5 Volts

Low-Voltage Transformers & Accessories



Name	In-Ground
SKU & Finish	151GT100 151GT300 151GT600
Watt/VA	100W - 600W
Kelvin & Lumens	Output voltage taps 12/13/14/15 Volts



Name	Transformer Mechanical Timer	Transformer Plug-in Photocell	Transformer Digital Timer
SKU & Finish	15557BK	15565BK	15556WH
Notes	Plug-in timer suitable for outdoor temperatures when enclosed in an outdoor transformer enclosure.		Battery backup included. Straight-forward programming and easy daylight savings change over.



Name	Transformer Synchronizer Device	Transformer Remote Plug-in Photocell
SKU & Finish	15511BK	15534BK
Notes	Synchronize all transformers used in a landscape setting so they turn on and off at the same time. Jumper wire (not included) should be a min. of 24-gauge.	Plug-in photocell with 10' cord

12V
DROP-IN





Name	Mini MR16		Long Cowl MR16	Architectural-Grade MR16
SKU & Finish	15384AZT 15384AZT24 15384BKT	15384BKT24 15384CBR 15384CO	15484AZT	15397AZT
LED Lamp Options	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.		4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.



Name	3" MR16		2" Mini MR16		3" Composite MR16
SKU & Finish	15309AZT 15309AZT12	15309BKT	15374AZT 15374AZT20L	15374BKT	15382BK
LED Lamp Options	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.		4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.		4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.



Name	Brass MR16	Fixed Socket Adjustable Cowl MR16	Fixed Socket MR16
SKU & Finish	15475CBR	15485CBR	15517CBR
LED Lamp Options	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.

Accent



Name	Adjustable Cowl MR8	Adjustable Cowl MR11	Mini MR11
SKU & Finish	15483CBR	15484CBR	15398AZT
LED Lamp Options	2W MR8 (18150-18157) Compares up to 15W Halogen.	2.5W MR11 (18158-18165) Compares up to 20W Halogen.	2.5W MR11 (18158-18165) Compares up to 20W Halogen.



Name	Copper MR16	4" MR16	Brass Uplight PAR36
SKU & Finish	15785CO	15381AZT 15381AZT6	15381BKT 15381CBR
LED Lamp Options	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W PAR36 (18166-18173) Compares up to 20W Halogen. 6W PAR36 (18174-18181) Compares up to 35W Halogen. 10W PAR36 (18182-18189) Compares up to 50W Halogen. 14W PAR36 (18190-18197) Compares up to 75W Halogen.



Name	PAR36	Large Adjustable Wide Flood	Mini Hooded Adjustable Wide Flood
SKU & Finish	15390AZT	15395AZT	15396AZT
LED Lamp Options	4W PAR36 (18166-18173) Compares up to 20W Halogen. 6W PAR36 (18174-18181) Compares up to 35W Halogen. 10W PAR36 (18182-18189) Compares up to 50W Halogen. 14W PAR36 (18190-18197) Compares up to 75W Halogen.	1W T3/G4 Bi-Pin (18200, 18201) Compares up to 10W Halogen.	1W T3/G4 Bi-Pin (18200, 18201) Compares up to 10W Halogen.



Name	Large Hooded Adjustable Wide Flood	Brass Mini Wall Wash	Large Wall Wash
SKU & Finish	15385AZT	15476CBR	15786CBR
LED Lamp Options	1W T3/G4 Bi-Pin (18200, 18201) Compares up to 10W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon. 2.3W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.



Name	Conical Adjustable Wall Wash	Brass Downlight MR16	Mini Downlight MR16
SKU & Finish	15361AZT 15361BKT	15486CBR	15087AZT
LED Lamp Options	1.5W S8 Wedge (18122, 18123) Compares up to 18.5W Krypton. 2W S8 Wedge (18202, 18203) Compares up to 20W Krypton.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.



Name	Mini Downlight MR16	Long Cowl Mini Downlight MR16
SKU & Finish	15093WHT	15494AZT 15494CBR
LED Lamp Options	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.

Accent



Name	Light Leak Pendant	Solid Pendant	Twinkler Pendant
SKU & Finish	15849AZT	15500CBR 15500CO	15501CBR
LED Lamp Options	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen. 2W MR8 (18150-18157) Compares up to 15W Halogen. 2.5W MR11 (18158-18165) Compares up to 20W Halogen. 4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen. 2W MR8 (18150-18157) Compares up to 15W Halogen. 2.5W MR11 (18158-18165) Compares up to 20W Halogen. 4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.



Name	Underwater Accent Light
SKU & Finish	15191BK
LED Lamp Options	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.





Name	Recessed Basic Trim MR8	Recessed Louvered MR8	Recessed with Cowl MR8
SKU & Finish	15490CBR	15492CBR	15491CBR
LED Lamp Options	2W MR8 (18150-18157) Compares up to 15W Halogen.	2W MR8 (18150-18157) Compares up to 15W Halogen.	2W MR8 (18150-18157) Compares up to 15W Halogen.



Name	In-Ground with Brass Trim	In-Ground with Brass Beacon	In-Ground with Brass Rock Guard
SKU & Finish	15495CBR	15498CBR	15497CBR
LED Lamp Options	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.



Name	In-Ground with Brass Cowl	In-Ground with Brass Side Throw	Well Light Brass Trim MR16
SKU & Finish	15496CBR	15499CBR	15788CBR
LED Lamp Options	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.

In-Ground



Name	Well Light Rock Guard MR16	Well with Brass Trim PAR36	Well with Brass Rock Guard PAR36
SKU & Finish	15789CBR	15507CBR	15508CBR
LED Lamp Options	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W PAR36 (18166-18173) Compares up to 20W Halogen. 6W PAR36 (18174-18181) Compares up to 35W Halogen. 10W PAR36 (18182-18189) Compares up to 50W Halogen. 14W PAR36 (18190-18197) Compares up to 75W Halogen.	4W PAR36 (18166-18173) Compares up to 20W Halogen. 6W PAR36 (18174-18181) Compares up to 35W Halogen. 10W PAR36 (18182-18189) Compares up to 50W Halogen. 14W PAR36 (18190-18197) Compares up to 75W Halogen.



Name	Brass In-Ground PAR36	Well Light PAR36	Enclosed In-Ground PAR36
SKU & Finish	15481CBR	15088BK 15088BK12	15194AZ
LED Lamp Options	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W PAR36 (18166-18173) Compares up to 20W Halogen. 6W PAR36 (18174-18181) Compares up to 35W Halogen. 10W PAR36 (18182-18189) Compares up to 50W Halogen. 14W PAR36 (18190-18197) Compares up to 75W Halogen.	4W PAR36 (18166-18173) Compares up to 20W Halogen. 6W PAR36 (18174-18181) Compares up to 35W Halogen. 10W PAR36 (18182-18189) Compares up to 50W Halogen. 14W PAR36 (18190-18197) Compares up to 75W Halogen.



Name	Mini In-Ground MR16	Mini In-Ground with Cowl MR16
SKU & Finish	15190BK	15192BK
LED Lamp Options	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.



Name	Two Arm	Tube	Right Angle
SKU & Finish	15844AZT 15844BKT 15844CBR	15845AZT 15845BKT 15845CBR	15846AZT 15846BKT
LED Lamp Options	1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon. 1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon. 1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon. 1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.



Name	Curved	Adjustable Height Small	Adjustable Height Large
SKU & Finish	15847AZT 15847BKT	15502CBR	15503CBR
LED Lamp Options	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen.	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen.



Name	Small Hat Brass	Small Hat	Stepped Dome
SKU & Finish	15506CBR	15504CO	15505CBR 15505CO
LED Lamp Options	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen.	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen.	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen.

Path & Spread



Name	Traditional Solid Brass	Missionary Solid Brass	6" Dome
SKU & Finish	15478CBR	15480CBR	15470AZT 15470BKT 15470CBR
LED Lamp Options	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen.	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.



Name	8" Dome	8" Dome Short	Large Eclipse™
SKU & Finish	15310AZT 15310AZT6	15310BKT 15310CBR	15410AZT
LED Lamp Options	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	15336BKT 15336TZT
LED Lamp Options			2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.



Name	Eclipse™	Eclipse™ Side Mount	Conical Side Mount
SKU & Finish	15323AZT 15323BKT	15423AZT 15423BKT	15315AZT 15315AZT6 15315BKT
LED Lamp Options	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	2W S8 Wedge (18122, 18123) Compares up to 18.5W Krypton. 2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	2W S8 Wedge (18122, 18123) Compares up to 18.5W Krypton. 2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.



Name	Conical Center Mount	Conical Large Center Mount	Conical Three Tier
SKU & Finish	15326AZT 15326BKT	15328AZT	15005AZT 15005BKT
LED Lamp Options	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen. <i>Mounting stem and bollard kit not included.</i>



Name	Galaxy	Adjustable Copper	Decorative Hammered Roof
SKU & Finish	15318AZT	15350CO	15443OB 15443OB12 15443TZT
LED Lamp Options	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.



Name	Cast Hammered Roof	Fundamentals™	Glass & Metal
SKU & Finish	15471BBR 15471TZT	15439CO 15439OB 15439TZT	15317AZT 15317BN
LED Lamp Options	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.

Path & Spread



Name	Simplicity Side Mount	Mica Mission	Thatched Roof
SKU & Finish	15360AZT	15450TZT	15401AZT
LED Lamp Options	1.5W S8 Wedge (18122, 18123) Compares up to 18.5W Krypton.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen.



Name	Single Tier Leaf	Pierced Dome	Pierced Scrollwork
SKU & Finish	15314MST	15457AZT	15437TZT
LED Lamp Options	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.



Name	Cotswold Convertible-Height Tiki	Round Lantern	Concord Lantern
SKU & Finish	15421AGZ	15367TZT	15334OB
LED Lamp Options	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.



Name	Traditional Marine Lantern	Cross Creek™ Lantern	Intaglio Brass Crook Neck
SKU & Finish	15438OB 15438OZ	15322AGZ	15436OZ
LED Lamp Options	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.



Name	Lafayette™ Lantern	Larkin Estate™	Mission Lantern
SKU & Finish	15313TZG	15444OZ	15319PZ
LED Lamp Options	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.



Name	Zen Garden	Cathedral	Almeria
SKU & Finish	15391OZ	15429TZT	15426BKT
LED Lamp Options	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.

Path & Spread



Name	Tulip	Kentucky	Cotswold™
SKU & Finish	15349MST	15393OZ	15422AGZ
LED Lamp Options	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.



Name	Cotswold™ Lantern	Textured Bollard	Mission Bollard
SKU & Finish	15420AGZ	15848AZT 15848BKT	15458OZ
LED Lamp Options	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon. 1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen.	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen.



Name	Zen Garden Bollard
SKU & Finish	15392OZ
LED Lamp Options	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen.



Name	Conical Mini Deck Light		Brass Deck Light	Half Moon Deck Light
SKU & Finish	15065AZT 15065BKT	15065CBR 15065WHT	15477CBR	15064AZT 15064WHT
LED Lamp Options	1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon. 1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. <i>Light distribution may be affected by location of sockets.</i>		1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon. 1W T5 Wedge (18198, 18199) Compares up to 10W Halogen.	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 1.5W T3/G4 (18124, 18125) Compares up to 20W Halogen. <i>Light distribution may be affected by location of sockets.</i>



Name	Mini Deck Light	Oak Trail™ Accent	Zen Garden Deck Post
SKU & Finish	15165AZ	15047OZ	15071OZ
LED Lamp Options	1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon. 1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. <i>Light distribution may be affected by location of sockets.</i>	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. <i>Light distribution may be affected by location of sockets.</i>	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen. <i>Light distribution may be affected by location of sockets.</i>



Name	Larkin Estate™ Deck Post	Adjustable Under Deck Rail	Louvered Down Deck Rail
SKU & Finish	15474OZ	15077AZT	15066AZT 15066CBR 15066WHT
LED Lamp Options	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen. <i>Light distribution may be affected by location of sockets.</i>	2W S8 Wedge (18202, 18203) Compares up to 20W Halogen.	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen.

Deck & Patio



Name	Up/Down Accent Deck Light	Small Downlight Sconce	Large Up/Down Sconce
SKU & Finish	15079AZT 15079CBR	15784CBR	15783CBR
LED Lamp Options	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. <i>CBR fixture includes top lens, AZT has lens accessory 15659AZT.</i>	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.	4W MR16 (18126-18133) Compares up to 20W Halogen. 5W MR16 (18134-18141) Compares up to 35W Halogen. 7W MR16 (18142-18149) Compares up to 50W Halogen.



Name	Barbecue Light	Louvered Brick Light	Mini Louvered Step Light
SKU & Finish	15123BK	15073AZT	15072AZT
LED Lamp Options	2.5W MR11 (18158-18165) Compares up to 20W Halogen.	1W T3/G4 (18200, 18201) Compares up to 10W Halogen. 2W T3/G4 (18206, 18207) Compares up to 20W Halogen. <i>Light distribution may be affected by location of sockets.</i>	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen. <i>Light distribution may be affected by location of sockets.</i>











Name	Mini Acrylic Lens Step Light
SKU & Finish	15070AZT
LED Lamp Options	1W T5 Wedge (18198, 18199) Compares up to 10W Halogen. 2W T5 Wedge (18204, 18205) Compares up to 20W Halogen. <i>Light distribution may be affected by location of sockets.</i>



12V ACCESSORIES



				
Name	Fixture Mounting Stems 1/4" NPSM Thd.	Fixture Mounting Stems 1/2" NPSM Thd.	Accent Adjustable Height Stem	Bollard Mounting Kit
SKU & Finish	15651AZT, BKT 12" 15652AZT, BKT 18" 15653AZT, BKT 24"	15645AZT, BKT 6" 15656AZT, BKT 12" 15657AZT, BKT 18" 15658AZT, BKT 24"	15570AZT 15570BKT	15665AZT, BKT 18" 15666AZT, BKT 24" 15667AZT, BKT 36"
Notes	1/4" NPSM. Coupler 15649 or Elbow 15647 needed for accent light use.	1/2" NPSM. Coupler 15649 or Elbow 15647 needed for accent light use.	1/2-14 NPSM stems will require additional Coupler 15649 or Elbow 15647 for accent light use. Extends from 18" to 33".	For use with Conical Three Tier path light 15005.

				
Name	Bollard Template Kit	Bollard Mounting Stake	Polymeric Support Stakes	Male and Female Riser
SKU & Finish	15671ST	15578BK	15575BK 8" 15576BK 14"	15509CBR 3" 15510CBR 6" 15511CBR 12" 15512CBR 18" 15513CBR 24"
Notes	For use with all bollard mounting kits on 12V and 120V fixtures.	For use with all bollard mounting kits on 12V and 120V fixtures.		No couplers needed.


				
Name	3" Round Mounting Base	Elbow	90 Degree Elbow	Stem Coupler
SKU & Finish	15493CBR	15647AZT 15647BKT	15514CBR	15649AZT 15649BKT
Notes				1/2-14 NPSM Thd.

				
Name	Two Fixture Mount	Surface Mounting Flange	Flange Mounting Nipple	Surface Mounting Bracket
SKU & Finish	15515CBR	15601AZT 15601BKT 15601WHT	15602AL	15607AZT 15607BKT 15607WHT
Notes		1/2-14 NPSM Thd.	1/2-14 NPSM Thd.	1/2-14 NPSM Thd.



Accessories



Name	Tree Bracket		Junction Box Mounting Bracket		Gutter Mount		VLO Beam Expander	
SKU & Finish	15516CBR		15609AZT 15609BKT 15609CBR		15489CBR		16090FRO	16091FRO
Notes							For Small VLO: 16015-16017.	For Large VLO: 16018-16020.




Name	Integrated LED Amber Lens		Integrated LED Green Foliage Lens		Integrated LED Frosted Lens		Drop-In Frosted Lens	
SKU & Finish	16071AMB 16072AMB	15875AMB	16071GRN 16072GRN	15885GRN	16071FRO 16072FRO	15895FRO	15676FRO	16079FRO
Notes	For Small VLO: 16015-16017. For Large VLO: 16018-16020.	For use with LED Accent: 16150-16158.	For Small VLO: 16015-16017. For Large VLO: 16018-16020.	For use with LED Accent: 16150-16158.	For Small VLO: 16015-16017. For Large VLO: 16018-16020.	For use with LED Accent: 16150-16158.	For use with: 15092, 15384, 15484, 15494.	For use with Wall Wash: 15361, 15861.



Name	Integrated LED Red Lens		Integrated LED Holiday Green Lens		Polycarbonate Lens		Up/Down Deck Light Heat-Resistant Lens	
SKU & Finish	16071RD	16072RD	16071HGRN	16072HGRN	15695CLR		15659AZT	
Notes	For Small VLO: 16015-16017.	For Large VLO: 16018-16020.	For Small VLO: 16015-16017.	For Large VLO: 16018-16020.	For use with LED Conical Side Mount Path 15827 and drop-in Conical Side Mount Path 15315.		For use with 15079.	



Name	PAR36 Well Light Heat-Resistant Lens	Accent VLO Small Long Cowl		Accent VLO Large Long Cowl		Accent VLO Small 360 Degree Cowl	
SKU & Finish	15689BK	16067AZT 16067BKT 16067CBR	16068AZT 16068BKT 16068CBR	16069AZT 16069BKT 16069CBR			
Notes	For use with: 15088, 15388.	For Small VLO: 16015-16017.		For Large VLO: 16018-16020.		For Small VLO: 16015-16017.	



Name	Accent VLO Large 360 Degree Cowl	LED Accent 6" Long Cowl	LED Mini All-Purpose Cowl	LED Mini All-Purpose Side Fire Sconce
SKU & Finish	16074AZT 16074BKT 16074CBR	16076AZT 16076BKT 16076CBR	16142CBR 16142SS	16143CBR 16143SS
Notes	For Large VLO: 16018-16020.	For use with LED Accent: 16150-16158.	For use with Mini All-Purpose In-Ground 16140, 16141.	For use with Mini All-Purpose In-Ground 16140, 16141.



Name	LED Mini All-Purpose Single Opening	LED Mini All-Purpose 2-Way Opening	LED Mini All-Purpose 4-Way Opening	LED Mini All-Purpose Louver
SKU & Finish	16148CBR 16148SS	16144CBR 16144SS	16145CBR 16145SS	16146CBR 16146SS
Notes	For use with Mini All-Purpose In-Ground 16140, 16141.	For use with Mini All-Purpose In-Ground 16140, 16141.	For use with Mini All-Purpose In-Ground 16140, 16141.	For use with Mini All-Purpose In-Ground 16140, 16141.



Name	LED Mini All-Purpose Honeycomb	LED Mini All-Purpose Square Trim	LED Mini All-Purpose Frosted Lens	LED Mini All-Purpose Blunt Cut Ground Stake
SKU & Finish	16149CBR 16149SS	16147CBR 16147SS	16180FRO	16182BK
Notes	For use with Mini All-Purpose In-Ground 16140, 16141.	For use with Mini All-Purpose In-Ground 16140, 16141.	For use with Mini All-Purpose In-Ground 16140, 16141.	For use with Mini All-Purpose In-Ground 16140, 16141.




Name	Uni-Sleeve Well Light Gimbal Kit	Uni-Sleeve Brass Trim	Uni-Sleeve Brass Rock Guard	Uni-Sleeve Rock Guard
SKU & Finish	16190BK	16191CBR	16192CBR	15787BK
Notes	Turn any 1/2" knuckled accent fixture into a recessed well light.	For use with 16190BK.	For use with 16190BK.	For use with 16190BK.

Accessories



Name	In-Ground 7" Rock Guard	Drop-In Polycarbonate Rock Guard	Drop-In Solid Brass Rock Guard with Clear Lens	MR16 Mini Accent Hexcell Louver
SKU & Finish	15694AZ	15690BK	15482CBR	15644BK
Notes	For use with: 15194, 15268.	For use with: 15088, 15388.	For use with: 15481.	For use with Mini Accent 15374.



Name	Mini Accent and Well Hexcell Louver	Accent VLO Hexcell Louver		8-Gauge Low Voltage Cable	10-Gauge Low Voltage Cable
SKU & Finish	15679BK	16073BK	16075BK	15503BK	15504BK
Notes	For use with Accent: 15092, 15384, 15484, 15494.	For Small VLO 16015-16017.	For Large VLO 16018-16020.	250' 8-gauge.	250' 10-gauge.



Name	12-Gauge Low Voltage Cable	Direct Burial Cable		Gel-Filled Wire Connector 8 and 10 Gauge	Gel-Filled Wire Connector 12 Gauge
SKU & Finish	15501BK 100' 15502BK 250' 15505BK 500' 15506BK 1000'	16088BK #14-2 16089BK #16-2		15579BK	15589BK
Notes				Pack of 10.	Pack of 10.












Name	Low Voltage Quic Disc® Connector	Pro Series Wire Connector Bulk Pack	Low Voltage Power Conditioner	Kichler Landscape Flag Marker
SKU & Finish	15509BK	15529BL	16059BK	15507ONG
Notes	For use with #12-2 or #10-2 low-voltage cable only.	Bulk pack of 100, packed in sealed bags of 10.	Master pack of 5.	Pack of 100.




LED Lamps










- PAR36 = Wet Location
- Omni S8, T5, T3, BA15 = Wet Location
- MR16, MR11, MR8 = Damp Location

LAMP	BASE/ LAMP TYPE	WATTS	KELVIN/LUMENS (lm for Bare Lamps)	BEAM ANGLE/ITEM #			
				15° Spot	25° Narrow Flood	40° Flood	60° Wide Flood
	MR8 Bi-Pin Damp Location D	2W, 3.1VA Compares up to 15W Halogen	2700K - Warm White / 140 lm	18150	18152	18154	18156
			3000K - Pure White / 150 lm	18151	--	18155	18157
	MR11 Bi-Pin Damp Location D	2.5W, 3.8VA Compares up to 20W Halogen	2700K - Warm White / 180 lm	18158	18160	18162	18164
			3000K - Pure White / 180 lm	18159	18161	18163	18165
	MR16 Damp Location D	4W, 5.4VA Compares up to 20W Halogen	2700K - Warm White / 285 lm	18126	18128	18130	18132
			3000K - Pure White / 285 lm	18127	18129	18131	18133
	MR16 Damp Location D	5W, 6.6VA Compares up to 35W Halogen	2700K - Warm White / 365 lm	18134	18136	18138	18140
			3000K - Pure White / 365 lm	18135	18137	18139	18141
	MR16 Damp Location D	7.2W, 9.9VA Compares up to 50W Halogen	2700K - Warm White / 615 lm	18142	18144	18146	18148
			3000K - Pure White / 615 lm	18143	18145	18147	18149
	PAR36 Wet Location W	4.2W, 6.3VA Compares up to 20W Halogen	2700K - Warm White / 290 lm	18166	18168	18170	--
			3000K - Pure White / 290 lm	18167	18169	18171	18173
	PAR36 Wet Location W	6W, 8.5VA Compares up to 35W Halogen	2700K - Warm White / 475 lm	18174	18176	18178	--
			3000K - Pure White / 475 lm	18175	--	18179	18181
	PAR36 Wet Location W	10W, 13.2VA Compares up to 50W Halogen	2700K - Warm White / 700 lm	18182	18184	18186	18188
			3000K - Pure White / 700 lm	18183	18185	18187	18189
	PAR36 Wet Location W	14W, 19.2VA Compares up to 75W Halogen	2700K - Warm White / 1090 lm	18190	--	18194	18196
			3000K - Pure White / 1090 lm	18191	18193	18195	18197

12V LAMP PHOTOMETRICS




The curves indicate the illuminated area and the average illumination when the luminaire is at different distances. Stated footcandles are for bare lamps only. For additional landscape product information tools and resources, visit Kichler.com/Landscape.

LAMP	BASE/ LAMP TYPE	WATTS	KELVIN/LUMENS (lm for Bare Lamps)	BEAM ANGLE/ITEM #s	
				120° Beam Angle	
	S8 Wedge* Wet Location W	1.5W, 2.4VA Compares up to 18.5W Krypton	2700K - Warm White / 130 lm	18122	
			3000K - Pure White / 130 lm	18123	
	T5 Wedge* Wet Location W	1.5W, 2.4VA Compares up to 16W Xenon	2700K - Warm White / 130 lm	18120	
			3000K - Pure White / 130 lm	18121	
	G4/T3 Bi-Pin* Wet Location W	1.5W, 2.4VA Compares up to 20W Halogen	2700K - Warm White / 130 lm	18124	
			3000K - Pure White / 130 lm	18125	
LAMP	BASE/ LAMP TYPE	WATTS	KELVIN/LUMENS (lm for Bare Lamps)	BEAM ANGLE/ITEM #s	
				180°	300°
	T5 Wedge Mini Ceramic Wet Location W	1W, 1.2VA Compares up to 10W Halogen	2700K - Warm White / 85 lm	18198	--
			3000K - Pure White / 85 lm	18199	--
	T3/G4 Bi-Pin Micro Ceramic Wet Location W	1W, 1.2VA Compares up to 10W Halogen	2700K - Warm White / 85 lm	18200	--
			3000K - Pure White / 85 lm	18201	--
	T5 Wedge High Lumen Mini Wet Location W	2.3W, 3.3VA Compares up to 20W Halogen	2700K - Warm White / 215 lm	--	18204
			3000K - Pure White / 215 lm	--	18205
	S8 Wedge High Lumen Mini Wet Location W	2.3W, 3.3VA Compares up to 20W Halogen	2700K - Warm White / 215 lm	--	18202
			3000K - Pure White / 215 lm	--	18203
	T3/G4 Bi-Pin High Lumen Mini Wet Location W	2.3W, 3.3VA Compares up to 20W Halogen	2700K - Warm White / 215 lm	--	18206
			3000K - Pure White / 215 lm	--	18207
	BA15 Single Contact High Lumen Mini Wet Location W	2.3W, 3.3VA Compares up to 20W Halogen	2700K - Warm White / 215 lm	--	18208
			3000K - Pure White / 215 lm	--	18209

12V LED LAMPS FOR PROFESSIONAL RESULTS


* Ideal for side mount path, deck/step, wall wash fixtures and more.

- Consistent Results: 9-15V operating range with no loss in light output
- Custom Optics: Superior control and light uniformity
- Kichler Performance: High lumens per watt & total lumen output





120V-277V LANDSCAPE LIGHTING



120V-277V
INTEGRATED
LED





Name	C-Series 5W Small Accent		C-Series 10W Small Accent	
SKU & Finish	16209AZT30* - 15° 16209BKT30* - 15° 16210AZT30* - 40° 16210BKT30* - 40° 16211AZT30* - 55° 16211BKT30* - 55°		16212AZT30 - 15° 16212BKT30 - 15° 16213AZT30 - 40° 16213BKT30 - 40° 16214AZT30 - 55° 16214BKT30 - 55°	16212AZT40* - 15° 16212BKT40* - 15° 16213AZT40* - 40° 16213BKT40* - 40° 16214AZT40* - 55° 16214BKT40* - 55°
Watt/pf	5.3W/.9pf		10W/.9pf	
Kelvin & Lumens	3000K - Pure White 473-478 lm, 91-93 lm/W		3000K - Pure White 807-831lm, 82-84 lm/W	4000K - Cool White 914-942 lm, 91 lm/W



Name	C-Series 14W Large Accent		C-Series 21W Large Accent	
SKU & Finish	16215AZT30* - 15° 16215BKT30* - 15° 16216AZT30* - 33° 16216BKT30* - 33° 16217AZT30* - 55° 16217BKT30* - 55°	16215AZT40* - 15° 16215BKT40* - 15° 16216AZT40* - 33° 16216BKT40* - 33° 16217AZT40* - 55° 16217BKT40* - 55°	16218AZT30* - 15° 16218BKT30* - 15° 16219AZT30* - 33° 16219BKT30* - 33° 16220AZT30* - 55° 16220BKT30* - 55°	16218AZT40* - 15° 16218BKT40* - 15° 16219AZT40* - 33° 16219BKT40* - 33° 16220AZT40* - 55° 16220BKT40* - 55°
Watt/pf	14.3W/.9pf		21W/.9pf	
Kelvin & Lumens	3000K - Pure White 1263-1326 lm, 90-92 lm/W	4000K - Cool White 1347-1424 lm, 96-102 lm/W	3000K - Pure White 1889-2033 lm, 89-97 lm/W	4000K - Cool White 1950-2111 lm, 93-99 lm/W



Name	120V 12.5W Small Accent	120V 19.5W Large Accent	120V 29W Large Accent
SKU & Finish	16200BBR30 - 10° 16201BBR30 - 35° 16206BBR30 - 60°	16202BBR30 - 10° 16203BBR30 - 35° 16207BBR30 - 60°	16204BBR30 - 10° 16205BBR30 - 35° 16208BBR30 - 60°
Watt/pf	12.5W/.85pf	19.5W/.9pf	29W/.9pf
Kelvin & Lumens	3000K - Pure White 590 lm, 47 lm/W	3000K - Pure White 947 lm, 49 lm/W	3000K - Pure White 1131 lm, 39 lm/W



*Many Kichler Lighting C-Series fixtures appear on the DesignLights Consortium (DLC) qualified list of products. Visit www.designlights.org for a complete listing.

Accent



Name	C-Series 12W Small Flood		C-Series 23W Small Flood	
SKU & Finish	16221AZT30* - Knuckle 16221BKT30* - Knuckle 16221AZT30SL* - Slip-Fit 16221BKT30SL* - Slip-Fit	16221AZT40* - Knuckle 16221BKT40* - Knuckle 16221AZT40SL* - Slip-Fit 16221BKT40SL* - Slip-Fit	16222AZT30 - Knuckle 16222BKT30 - Knuckle 16222AZT30SL - Slip-Fit 16222BKT30SL - Slip-Fit	16222AZT40 - Knuckle 16222BKT40 - Knuckle 16222AZT40SL - Slip-Fit 16222BKT40SL - Slip-Fit
Watt/pf	12W/.9pf		23W/.9pf	
Kelvin & Lumens	3000K - Pure White 1119 lm, 89 lm/W	4000K - Cool White 1210 lm, 100 lm/W	3000K - Pure White 2049 lm, 86 lm/W	4000K - Cool White 2082 lm, 89 lm/W
	NEMA 6x5 beam with 88-degree vertical beam, 126-degree horizontal beam.		NEMA 6x5 beam with 88-degree vertical beam, 126-degree horizontal beam.	



Name	C-Series 33W Medium Flood		C-Series 52W Medium Flood		C-Series 85W Large Flood	
SKU & Finish	16223AZT30* 16223BKT30* 16223AZT30SL* 16223BKT30SL*	16223AZT40* 16223BKT40* 16223AZT40SL* 16223BKT40SL*	16224AZT30* 16224BKT30* 16224AZT30SL* 16224BKT30SL*	16224AZT40* 16224BKT40* 16224AZT40SL* 16224BKT40SL*	16225AZT30 16225BKT30 16225AZT30TR 16225BKT30TR 16225AZT30SL 16225BKT30SL	16225AZT40* 16225BKT40* 16225AZT40TR* 16225BKT40TR* 16225AZT40SL* 16225BKT40SL*
Watt/pf	33W/.9pf		50W/.9pf		85W/.9pf	
Kelvin & Lumens	3000K - Pure White 3287 lm, 99 lm/W	4000K - Cool White 3495 lm, 104 lm/W	3000K - Pure White 4496 lm, 89 lm/W	4000K - Cool White 4795 lm, 94 lm/W	3000K - Pure White 7529 lm, 89 lm/W	4000K - Cool White 8613 lm, 102 lm/W
	NEMA 7x5 beam with 88-degree vertical beam, 131-degree horizontal beam.		NEMA 7x5 beam with 88-degree vertical beam, 131-degree horizontal beam.		NEMA 7x6 beam with 110-degree vertical beam, 131-degree horizontal beam.	



Knuckle Mount
1/2" NPSM trade size fittings.



Trunion Mount (TR)
Surface mount for variety of different mounting options.



Slip-Fit Mount (SL)
2" trade size for post mount.



*Many Kichler Lighting C-Series fixtures appear on the DesignLights Consortium (DLC) qualified list of products. Visit www.designlights.org for a complete listing.

In-Ground

120V

INTEGRATED LED



Name	C-Series 10W			C-Series 20W		
SKU & Finish	16227CBR30 - 45° 16228CBR30 - 60°	16227CBR40 - 45° 16228CBR40 - 60°	16227CBR50 - 45° 16228CBR50 - 60°	16230CBR30 - 45° 16258CBR30 - 60°	16230CBR40 - 45° 16258CBR40 - 60°	16230CBR50 - 45° 16258CBR50 - 60°
Watt/VA	10W			20W		
Kelvin & Lumens	3000K - Pure White 775 lm, 80 lm/W	4000K - Cool White 775 lm, 80 lm/W	5000K - Bright White 775 lm, 80 lm/W	3000K - Pure White 1625 lm, 80 lm/W	4000K - Cool White 1625 lm, 80 lm/W	5000K - Bright White 1625 lm, 80 lm/W

Outdoor



Name	Cylinder CLIMATES™ LED 12.25" Downlight	Cylinder CLIMATES™ LED 7" Downlight	Cylinder LED 12" Downlight
SKU & Finish	11310BKTLED	11309BKTLED	11251AZT30 11251BKT30
Watt/VA	20W	10W	15W
Kelvin & Lumens	3000K - Pure White 925 lm, 48 lm/W	3000K - Pure White 450 lm, 50 lm/W	3000K - Pure White 550 lm, 37 lm/W



Name	Cylinder LED 7" Downlight	LED 5.5" Wall Light
SKU & Finish	11250AZT30 11250BKT30	11077AZT 11077BKT
Watt/VA	11W	15W
Kelvin & Lumens	3000K - Pure White 350 lm, 33 lm/W	3000K - Pure White 400 lm, 27 lm/W

120V DROP-IN





Name	4" Small Accent	5" Medium Accent	7" Large Accent
SKU & Finish	15231AZT 15231BKT	15241AZT 15241BKT	15251AZT 15251BKT
LED Lamp Options	7W PAR20 (18081-18086) Compares up to 35W Halogen.	12W PAR30L (18111-18116) Compares up to 50W Halogen.	17W PAR38 (18093-18098) Compares up to 75W Halogen.



Name	Small Compact Accent with Cowl and Lens	Large Compact Accent with Cowl and Lens	7" Downlight Accent
SKU & Finish	15230AZT	15250AZT	15255AZT
LED Lamp Options	7W PAR20 (18081-18086) Compares up to 35W Halogen.	12W PAR30L (18111-18116) Compares up to 50W Halogen.	17W PAR38 (18093-18098) Compares up to 75W Halogen.

Path & Spread



Name	Conical Three Tier	Conical Large One Tier	Eclipse™ Large
SKU & Finish	15205AZT 15205BKT	15211AZT 15211BKT	15236BKT 15236TZT
LED Lamp Options	Mounting stem and bollard kit not included. Uses A19 Damp location bulb.	Mounting stem and bollard kit not included. Uses A19 Damp location bulb.	Uses A19 Damp location bulb.



Name	Cross Creek™	Traditional Marine Lantern
SKU & Finish	15232AGZ	15239OZ
LED Lamp Options	Uses A19 Damp location bulb.	Uses A19 Damp location bulb.





Name	11.25" 1 Light Wall Spotlight		11.25" 2 Light Wall Spotlight		Cylinder 7" Wall Light	
SKU & Finish	6051AZ 6051WH		6052AZ 6052WH		9234AZ 9234BA	9234BK 9234WH
LED Lamp Options	12W PAR30 (18087-18092) Compares up to 50W Halogen. 12W PAR30L (18111-18116) Compares up to 50W Halogen. 17W PAR38 (18093-18098) Compares up to 75W Halogen.		12W PAR30 (18087-18092) Compares up to 50W Halogen. 12W PAR30L (18111-18116) Compares up to 50W Halogen. 17W PAR38 (18093-18098) Compares up to 75W Halogen.		BR30 lamp 65W Max. (not included)	



Name	Cylinder 7.75" Wall Light	Cylinder 8.5" Wall Light	Cylinder 12" Wall Light	
SKU & Finish	9236AZ	9834WH	9244AZ 9244BA	9244BK 9244WH
LED Lamp Options	BR40 lamp 120W Max. (not included)	BR30 lamp 65W Max. (not included)	BR30 lamp 65W Max. (not included)	



Name	Cylinder 15" Wall Light	
SKU & Finish	9246AZ 9246BA	9246BK 9246WH
LED Lamp Options	BR40 lamp 120W Max. (not included)	

120V-277V ACCESSORIES





Name	Fixture Mounting Stems 1/2" NPSM Thd.	
SKU & Finish	15645AZT, BKT 15656AZT, BKT 15657AZT, BKT 15658AZT, BKT	6" 12" 18" 24"
Notes	1/2" NPSM. Coupler 15649 or Elbow 15647 needed for accent light use.	



Name	120V Power Post Stake
SKU & Finish	15276BK
Notes	Works with 1/2 NPSM threaded fixtures.



Name	Bollard Mounting Stake
SKU & Finish	15578BK
Notes	For use with all bollard mounting kits on 12V and 120V fixtures.



Name	Bollard Mounting Kit	
SKU & Finish	15665AZT, BKT 15666AZT, BKT 15667AZT, BKT	18" 24" 36"
Notes	For use with Conical path lights 15205, 15211.	



Name	Bollard Template Kit
SKU & Finish	15671ST
Notes	For use with all bollard mounting kits on 12V and 120V fixtures.



Name	4" Surface Mounting Flange
SKU & Finish	15601AZT 15601BKT 15601WHT
Notes	1/2-14 NPSM Thd.



Name	Flange Mounting Nipple
SKU & Finish	15602AL
Notes	1/2-14 NPSM Thd.



Name	Elbow
SKU & Finish	15647AZT 15647BKT
Notes	



Name	Stem Coupler
SKU & Finish	15649AZT 15649BKT
Notes	1/2-14 NPSM Thd.



Name	Junction Box Mounting Bracket
SKU & Finish	15609AZT 15609BKT 15609CBR
Notes	



Name	C-Series Small Accent Long Cowl
SKU & Finish	16280AZT 16280BKT
Notes	For use with: Small Accent 16209-16214.



Name	C-Series Large Accent Long Cowl
SKU & Finish	16281AZT 16281BKT
Notes	For use with: Large Accent 16215-16220.



Name	C-Series Amber Lens	
SKU & Finish	16286AZT 16286BKT	16287AZT 16287BKT
Notes	For use with: Small Accent 16209-16214.	For use with: Large Accent 16215-16220.



Name	C-Series Green Lens	
SKU & Finish	16288AZT 16288BKT	16289AZT 16289BKT
Notes	For use with: Small Accent 16209-16214.	For use with: Large Accent 16215-16220.



Name	C-Series Frosted Lens	
SKU & Finish	16284AZT 16284BKT	16285AZT 16285BKT
Notes	For use with: Small Accent 16209-16214.	For use with: Large Accent 16215-16220.



Name	C-Series Hexcell Louver	
SKU & Finish	16282AZT 16282BKT	16283AZT 16283BKT
Notes	For use with: Small Accent 16209-16214.	For use with: Large Accent 16215-16220.

Accessories



Name	C-Series In-Ground Trim Ring	In-Ground 9.5" Rock Guard	Well Light Concrete Installation Kit	In-Ground Gel Encapsulant
SKU & Finish	16290SS	15688AZ	15608AZ	15616WH10
Notes	For use with: 16227, 16228, 16230, 16258.		For use with: 15IGT100, 15IGT300, 15IGT600.	10-pack. Two-part field mixable material for in-ground installations.

120V-277V LED Lamps

LAMP	BASE / LAMP TYPE	WATTS	KELVIN / LUMENS	BEAM ANGLE/ITEM #	
				25° Spot	40° Flood
	PAR20 Wet Location 	7W Compares up to 35W Halogen	2700K – Warm White 310 lm	18081	18084
			3000K – Pure White 330 lm	18082	18085
			4200K – Cool White 350 lm	18083	18086
				25° Spot	40° Flood
	PAR30 Wet Location 	12W Compares up to 50W Halogen	2700K – Warm White 580 lm	18087	18090
			3000K – Pure White 610 lm	18088	18091
			4200K – Cool White 640 lm	18089	18092
				25° Spot	40° Flood
	PAR30 Longneck Wet Location 	12W Compares up to 50W Halogen	2700K – Warm White 580 lm	18111	18114
			3000K – Pure White 610 lm	18112	18115
			4200K – Cool White 640 lm	18113	18116
				25° Spot	40° Flood
	PAR38 Wet Location 	17W Compares up to 75W Halogen	2700K – Warm White 800 lm	18093	18096
			3000K – Pure White 850 lm	18094	18097
			4200K – Cool White 900 lm	18095	18098

Wet location versions designed and listed for use in an enclosed or open fixture. Using lamp in enclosed fixtures can result in up to 30-40% loss in lumen output based on test data.



AGZ
Aged Bronze



AZ
Architectural Bronze™



AZT
Textured Architectural Bronze™



BBR
Bronzed Brass



BK
Black



BKT
Textured Black




BN
Brushed Nickel



CBR
Centennial Brass



CO
Copper



GRY
Textured Gray



MST
Textured Midnight Spruce



OB
Olde Brick®



OZ
Olde Bronze®



PZ
Patina Bronze



SD
Textured Sand




SS
Stainless Steel



TZG
Tannery Bronze™ & Gold



TZT
Textured Tannery Bronze™



WH, WHT
Textured White

Additional Finishes in Outdoor Living

AUB Auburn

AVI Anvil Iron

BSL Black with Silver Highlights

DAG Distressed Antique Gray

DBK Distressed Black

GG Gloss Gray

LD Londonberry™

MWH Matte White

PN Polished Nickel

RZ Rubbed Bronze™

SBK Satin Black

SNB Satin Natural Bronze

WZC Weathered Zinc

OUTDOOR LIVING



Outdoor Chandeliers & Hanging Lights

120V

OUTDOOR LIVING



Morelle™ Linear Chandelier

49309BK



Wright Linear Chandelier

49805WZC



Lyndon™ Linear Chandelier

49835AZ



Ashland Bay Chandelier

49667WZC



Grand Bank™

49791DAG



Grand Bank™

49791AUB



Halleron™

49603LD



Allenbury™ CLIMATES™

49982WH, BKT, OZ

Outdoor Ceiling Fans



Surrey CLIMATES™ 60" - 300250SBK, SNB, MWH

AIR PERFORMANCE

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
6246	65	96
W C		



Ahrendale™ LED 60" - 310170AVI, AUB, WZC

AIR PERFORMANCE

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
5763	72	80
W LED		



Gentry LED 65" - 300265DBK, AVI, WZC

AIR PERFORMANCE

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
8061	34	237
D LED DC		



Imari LED 65" - 300365PN, MWH, SBK

AIR PERFORMANCE

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
9548	34	282
D LED DC		

Outdoor Wall Lights & Posts



Narelle Wall Light

49287WH, OZ



Pier™ Wall Light

49991GG, BK, OZ, WH



Delison™ Wall Light

49331RZ



Ryo LED CLIMATES™ Wall Light

49362BKTLED



Pai™ Post Light

49880BK



Cresleigh Post Light

49237BSL



Taden™ Post Light

49911RZ





Springfield Post Light

49987DBK

Symbol Guide


-  **Damp-Rated:** Used in sheltered areas that are protected from direct contact with rain, snow or excessive moisture.
-  **Wet-Rated:** Suitable for direct contact with rain, snow or excessive moisture (such as fog or ocean spray).
-  **CLIMATES™:** Ideal for areas with extreme temperatures, saltwater spray and consistent UV exposure.
-  **Dark Sky compliant:** Aligns with the International Dark-Sky Association (IDA) standards of reducing light pollution, protecting the night skies for present and future generations.
-  **DC Motor:** Energy-efficient and uses up to 70% less electricity than AC motor fans with whisper-quiet operation.
-  **LED:** Integrated LED light source with a long life that uses up to 90% less energy than incandescent light sources.
-  **016 Title 24, Part 6:** A document that contains the California Building Energy Efficiency Standards as regulated by the California Energy Commission. Products marked with this logo and labeled as JA8-2016 or JA8-2016-E have been found to meet the requirements stated in 2016 T24, Part 6. For more information, visit www.energy.ca.gov/title24.

 Federal Communications Commission devices designated with this logo comply with part 15 of the FCC Rules.

 Many Kichler Lighting C-Series fixtures appear on the DesignLights Consortium (DLC) qualified list of products and are marked with a * in the 120V-277V section. Visit www.designlights.org for a complete listing.



All electrical products are UL/CSA/ or ETL Listed and Certified to UL/CSA Standards for use in U.S.A. and Canada except where noted.

 Kichler Lighting is a member of the American Lighting Association (ALA), a trade association representing the residential lighting and ceiling fan industries in the United States and Canada. Its membership includes leading lighting and fan manufacturers, showrooms (retailers), manufacturers representatives and designers. ALA members are dedicated to providing the public with the proper application of quality residential lighting.

To serve you better, Kichler Lighting reserves the right to make improvements to products in this catalog. Therefore, some products may change during the life of the catalog and the product information contained in this catalog may also have changed.

For warranty information visit Kichler.com/Warranty

Abbreviation Key

- AC Alternating Current
- ADA Americans with Disabilities Act
- ANSI American National Standards Institute
- AWG American Wire Gauge system
- CBCP Center Beam Candlepower
- CLR Clear
- CRI Color Rendering Index
- D Depth
- DC Direct Current
- Dia. Diameter
- FC, fc Foot-candles
- FL Flood Light
- H Height
- hrs. Hours
- Hz Hertz
- ID Inside Diameter
- K Kelvin temperature
- kV Kilovolt
- L Length
- LED Light Emitting Diode
- lm Lumens
- lm/W Lumens per Watt
- LPW Lumens per Watt
- LVPC Low Voltage Power Conditioner
- Max. Maximum
- NFL Narrow Flood Light
- NSP Narrow Spot Light
- NPSM National Pipe & Thread - Straight, Male
- OD Outside Diameter
- pf Power Factor
- SP Spot Light
- V Volt
- VA Volt-Amp
- VLO Variable Lumen Output
- VNSP Very Narrow Spot Light
- VWFL Very Wide Flood Light
- W Watt, when directly next to a number
- W Width, when paired with L and/or H
- WFL Wide Flood Light
- Thd. Thread

CONNECT WITH US



Follow us: [instagram.com/KichlerLighting](https://www.instagram.com/KichlerLighting)
 Like us: [facebook.com/Kichler.Lighting](https://www.facebook.com/Kichler.Lighting)
 Follow us: twitter.com/KichlerLight
 Join us: [houzz.com/pro/KichlerLighting/Kichler](https://www.houzz.com/pro/KichlerLighting/Kichler)
 Find us: [pinterest.com/KichlerStyle](https://www.pinterest.com/KichlerStyle)
 Watch us: [youtube.com/KichlerLighting](https://www.youtube.com/KichlerLighting)

Kichler Lighting
 7711 East Pleasant Valley Road
 Cleveland, Ohio 44131-8010

To find an Authorized Dealer, visit Kichler.com/Where-to-buy

Index

6051AZ, WH	61	15381AZT, AZT6, BKT, CBR	30	15504CO	35	15774AZT27R, AZT30R	23
6052AZ, WH	61	15382BK	29	15505BK	48	15776BK	18
9234AZ, BA, BK, WH	61	15384AZT, AZT24, BKT, BKT24, CBR, CO	29	15505CBR, CO	35	15777SS	18
9236AZ	61	15385AZT	31	15506BK	48	15778BK	18
9244AZ, BA, BK, WH	61	15390AZT	30	15506CBR	35	15780AZT27R, AZT30R	23
9246AZ, BA, BK, WH	61	15391OZ	39	15507CBR	34	15782AZT27R, BKT27R, CBR27, WHT27R, AZT30R, BKT30R, CBR30, WHT30R	23
9834WH	61	15392OZ	40	15507ONG	48	15783CBR	42
11077AZT, BKT	57	15393OZ	40	15508CBR	34	15784CBR	42
11250AZT30, BKT30	57	15395AZT	30	15509BK	48	15785CO	30
11251AZT30, BKT30	57	15396AZT	30	15509CBR	45	15786CBR	31
11309BKTLED	57	15397AZT	29	15510CBR	45	15787BK	19, 47
11310BKTLED	57	15398AZT	30	15511BK	27	15788CBR	33
15005AZT, BKT	37	15401AZT	38	15511CBR	45	15789CBR	34
15047OZ	41	15410AZT	36	15512CBR	45	15800AZT27R, CBR27, AZT30R, CBR30	20
15064AZT, WHT	41	15420AGZ	40	15513CBR	45	15801Tzt27R, Tzt30R	21
15065AZT, BKT, CBR, WHT	41	15421AGZ	38	15514CBR	45	15802Tzt27R, Tzt30R	20
15066AZT, CBR, WHT	41	15422AGZ	40	15515CBR	45	15803AZT27R, AZT30R	19
15070AZT	42	15423AZT, BKT	36	15516CBR	46	15805BKT27R, BKT30R	20
15071OZ	41	15426BKT	39	15517CBR	29	15806BKT27R, BKT30R	20
15072AZT	42	15429Tzt	39	15529BL	48	15807AZT27R, AZT30R	22
15073AZT	42	15436OZ	39	15534BK	27	15810AZT27R, BKT27R, CBR27, AZT30R, BKT30R, CBR30	21
15077AZT	41	15437Tzt	38	15556WH	27	15811AZT27R, AZT30R	21
15079AZT, CBR	42	15438OB, OZ	39	15557BK	27	15815AZT27R, BKT27R, AZT30R, BKT30R	20
15087AZT	31	15439CO, OB, Tzt	37	15565BK	27	15820AZT27R, CBR27, CO27, AZT, CBR30, CO	21
15088BK, BK12	34	15443OB, OB12, Tzt	37	15570AZT, BKT	45	15821AZT27, CBR27, CO27, AZT, CBR30, CO	21
15093WHT	31	15444OZ	39	15575BK	45	15826AZT27R, BKT27R, AZT30R, BKT30R	20
15123BK	42	15450Tzt	38	15576BK	45	15827CBR27, CBR30	20
15165AZ	41	15457AZT	38	15578BK	45, 63	15833AZT27R, AZT30R	20
15190BK	34	15458OZ	40	15579BK	48	15839CO27R, Tzt27R, CO30R, Tzt30R	19
15191BK	32	15470AZT, BKT, CBR	36	15589BK	48	15843Tzt27, Tzt	19
15192BK	34	15471BBR, Tzt	37	15601AZT, BKT, WHT	45, 63	15844AZT, BKT, CBR	35
15194AZ	34	15474OZ	41	15602AL	45, 63	15845AZT, BKT, CBR	35
15205AZT, BKT	60	15475CBR	29	15607AZT, BKT, WHT	45	15846AZT, BKT	35
15211AZT, BKT	60	15476CBR	31	15608AZ	64	15847AZT, BKT	35
15230AZT	59	15477CBR	41	15609AZT, BKT, CBR	46, 63	15848AZT, BKT	40
15231AZT, BKT	59	15478CBR	36	15616WH10	64	15849AZT	32
15232AGZ	60	15480CBR	36	15644BK	48	15850CO27R, CO30R	19
15236BKT, Tzt	60	15481CBR	34	15645AZT, BKT	45, 63	15857AZT27R, AZT30R	22
15239OZ	60	15482CBR	48	15647AZT, BKT	45, 63	15861AZT27R, BKT27R, AZT30R, BKT30R	17
15241AZT, BKT	59	15483CBR	30	15649AZT, BKT	45, 63	15870AZT27R, BKT27R, CBR27, AZT30R, BKT30R, CBR30	20
15250AZT	59	15484AZT	29	15651AZT, BKT	45	15871CBR27, Tzt27, CBR30, Tzt	19
15251AZT, BKT	59	15484CBR	30	15652AZT, BKT	45	15875AMB, HGRN, RD	46
15255AZT	59	15485CBR	29	15653AZT, BKT	45	15878CBR27, CBR30	21
15276BK	63	15486CBR	31	15656AZT, BKT	45, 63	15880CBR27, CBR30	21
15309AZT, AZT12, BKT	29	15487CBR	30	15657AZT, BKT	45, 63	15885GRN	46
15310AZT, AZT6, BKT, CBR	36	15489CBR	46	15658AZT, BKT	45, 63	15895FRO	46
15313TZG	39	15490CBR	33	15659AZT	46	15CS75SS	26
15314MST	38	15491CBR	33	15665AZT, BKT	45, 63	15CS150SS	26
15315AZT, AZT6, BKT	36	15492CBR	33	15666AZT, BKT	45, 63	15CS300SS	26
15317AZT, BN	37	15493CBR	45	15667AZT, BKT	45, 63	15CS600SS	26
15318AZT	37	15493CBR	45	15671ST	45, 63	15CS900SS	26
15319PZ	39	15494AZT, CBR	31	15676FRO	46	15CS1200SS	26
15322AGZ	39	15495CBR	33	15679BK	48	15E60BK	26
15323AZT, BKT	36	15496CBR	33	15688AZ	64	15E120BK	26
15326AZT, BKT	37	15497CBR	33	15689BK	46	15IGT100	27
15328AZT	37	15498CBR	33	15690BK	48	15IGT300	27
15334OB	38	15499CBR	33	15694AZ	48	15IGT600	27
15336BKT, Tzt	36	15500CBR, CO	32	15695CLR	46	15M100AZT	26
15349MST	40	15501BK	48	15711SS27, SS, SS42	18	15M200AZT	26
15350CO	37	15501CBR	32	15763Tzt27R, Tzt30R	23		
15360AZT	38	15502BK	48	15764AZT27R, CBR27, WHT27R, AZT30R, CBR30, WHT30R	23		
15361AZT, BKT	31	15502CBR	35	15765AZT27R, BKT27R, CBR27, WHT27R, AZT30R, BKT30R, CBR30, WHT30R	23		
15367Tzt	38	15503BK	48	15773AZT27R, AZT30R	23		
15374AZT, AZT20L, BKT	29	15503CBR	35				
		15504BK	48				

15M300AZT	26	16133AZT28, BKT28	22	16227CBR30, CBR40, CBR50	57	18146	50
15PL100AZT	26	16140CBR27, SS27, CBR30, SS30	18	16228CBR30, CBR40, CBR50	57	18147	50
15PL200AZT	26	16141CBR27, SS27, CBR30, SS30	18	16230CBR30, CBR40, CBR50	57	18148	50
15PL300AZT	26	16142CBR, SS	18, 47	16258CBR30, CBR40, CBR50	57	18149	50
15PL600AZT	26	16143CBR, SS	18, 47	16280AZT, BKT	63	18150	50
15PL75AZT	26	16144CBR, SS	18, 47	16281AZT, BKT	63	18151	50
15PL900AZT	26	16145CBR, SS	18, 47	16282AZT, BKT	63	18152	50
15PR75SS	26	16146CBR, SS	18, 47	16283AZT, BKT	63	18154	50
15PR100SS	26	16147CBR, SS	18, 47	16284AZT, BKT	63	18155	50
15PR200SS	26	16148CBR, SS	18, 47	16285AZT, BKT	63	18156	50
15PR300SS	26	16149CBR, SS	18, 47	16286AZT, BKT	63	18157	50
15PR600SS	26	16150AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	16287AZT, BKT	63	18158	50
15PR900SS	26	16151AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	16288AZT, BKT	63	18159	50
15PR1200SS	26	16152AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	16289AZT, BKT	63	18160	50
15PRD600SS	26	16153AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	16290SS	64	18161	50
16015AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	16154AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	18081	64	18162	50
16016AZT27, BKT27, CBR27, WHT27, AZT30, BKT30, CBR30, WHT30	17	16155AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	18082	64	18163	50
16017AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	16156AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	18083	64	18164	50
16018AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	16157AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	18084	64	18165	50
16019AZT27, BKT27, CBR27, WHT27, AZT30, BKT30, CBR30, WHT30	17	16158AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	18085	64	18166	50
16020AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	16180FRO	18, 47	18086	64	18167	50
16022AZT27, BKT27, AZT30, BKT30	17	16182BK	18, 47	18087	64	18168	50
16059BK	48	16190BK	19, 47	18088	64	18169	50
16067AZT, BKT, CBR	46	16191CBR	19, 47	18089	64	18170	50
16068AZT, BKT, CBR	46	16192CBR	19, 47	18090	64	18171	50
16069AZT, BKT, CBR	46	16200BBR30	55	18091	64	18173	50
16070AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	17	16201BBR30	55	18092	64	18174	50
16071AMB, FRO, GRN, HGRN, RD	46	16202BBR30	55	18093	64	18175	50
16072AMB, FRO, GRN, HGRN, RD	46	16203BBR30	55	18094	64	18176	50
16073BK	48	16204BBR30	55	18095	64	18178	50
16074AZT, BKT, CBR	47	16205BBR30	55	18096	64	18179	50
16075BK	48	16206BBR30	55	18097	64	18181	50
16076AZT, BKT, CBR	47	16207BBR30	55	18098	64	18182	50
16079FRO	46	16208BBR30	55	18111	64	18183	50
16088BK	48	16209AZT30, BKT30	55	18112	64	18184	50
16089BK	48	16210AZT30, BKT30	55	18113	64	18185	50
16090FRO	46	16211AZT30, BKT30	55	18114	64	18186	50
16091FRO	46	16212AZT30, BKT30, AZT40, BKT40	55	18115	64	18187	50
16100AZT27, BKT27, CBR27, GRY27, SD27, AZT30, BKT30, CBR30, GRY30, SD30	25	16213AZT30, BKT30, AZT40, BKT40	55	18116	64	18188	50
16101AZT27, BKT27, CBR27, GRY27, SD27, AZT30, BKT30, CBR30, GRY30, SD30	25	16214AZT30, BKT30, AZT40, BKT40	55	18120	51	18189	50
16102AZT27, BKT27, CBR27, GRY27, SD27, AZT30, BKT30, CBR30, GRY30, SD30	25	16215AZT30, BKT30, AZT40, BKT40	55	18121	51	18190	50
16103AZT27, BKT27, CBR27, GRY27, SD27, AZT30, BKT30, CBR30, GRY30, SD30	25	16216AZT30, BKT30, AZT40, BKT40	55	18122	51	18191	50
16110AZT27, BKT27, CO27, AZT30, BKT30 CO30	23	16217AZT30, BKT30, AZT40, BKT40	55	18123	51	18193	50
16111AZT27, BKT27, AZT30, BKT30	23	16218AZT30, BKT30, AZT40, BKT40	55	18124	51	18194	50
16120AZT27, BKT27, CBR27, AZT30, BKT30, CBR30	19	16219AZT30, BKT30, AZT40, BKT40	55	18125	51	18195	50
16121AZT27, BKT27, AZT30, BKT30	21	16220AZT30, BKT30, AZT40, BKT40	55	18126	50	18196	50
16122AZT27, AZT30	21	16221AZT30, BKT30, AZT30SL, BKT30SL, AZT40, BKT40, AZT40SL, BKT40SL	56	18127	50	18197	50
16124AGZ27, BKT27, CW27, AGZ30, BKT30, CW30	22	16222AZT30, BKT30, AZT30SL, BKT30SL, AZT40, BKT40, AZT40SL, BKT40SL	56	18128	50	18198	51
16125AZT27, AZT30	22	16223AZT30, BKT30, AZT30SL, BKT30SL, AZT40, BKT40, AZT40SL, BKT40SL	56	18129	50	18199	51
16130AZT28, BKT28	22	16224AZT30, BKT30, AZT30SL, BKT30SL, AZT40, BKT40, AZT40SL, BKT40SL	56	18130	50	18200	51
16131AZT28, BKT28	22	16225AZT30, BKT30, AZT30TR, BKT30TR, AZT30SL, BKT30SL, AZT40, BKT40, AZT40TR, BKT40TR, AZT40SL, BKT40SL	56	18131	50	18201	51
16132AZT28, BKT28	22			18132	50	18202	51
				18133	50	18203	51
				18134	50	18204	51
				18135	50	18205	51
				18136	50	18206	51
				18137	50	18207	51
				18138	50	18208	51
				18139	50	18209	51
				18140	50	49239BKTLLED	24
				18141	50	49247BWFLED	24
				18142	50	49473RZLED	24
				18143	50	49500BKTLLED	24
				18144	50	49679WHRLED	24
				18145	50		

Our Vision

At Kichler Lighting, everything we do, every single day, is with the intention of creating and delivering products that allow people to see what matters most to them. We will do that by relentlessly pursuing quality, ensuring continued innovation, always going one step further in our commitment to exceptional customer service and education, as well as creating on-trend designs that are both stylish and “life-stylish,” promising to deliver project success for you.

Get inspired at [Kichler.com](https://www.kichler.com)

KICHLER

Featured on Front Cover: Two Arm Path Light 15844AZT | Page 35